



Web Images Video News Maps more »

surface rendering 3D subtraction images and :

Search

Advanced Scholar Search
Scholar Preferences
Scholar Help

The following words are very common and were not included in your search: with for for of.
[details]

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Scholar All articles - Recent articles Results 1 - 10 of about 12 for surface rendering 3D subtraction images :
Tip: Looking for pictures? Try [Google Images](#)

[CITATION] **An Eliminated Fractal Compression Algorithm by Variance**

FY Li, YZ Wei, F Hui - International Symposium on Multispectral Image Processing (... , 1998 - SPIE

Related Articles - Web Search

[BOOK] **Proceedings of the Annual International Conference of the IEEE Engineering in Medicine and Biology ...**

JP Morucci - 1992 - Additional copies are available from IEEE Service Center

[Web Search](#)

How the Spatial Filters of Area VI Can Be Used for a Nearly Ideal Edge Detection

FA Pellegrino, W Vanzella, V Torre - Biologically Motivated Computer Vision: Second International ..., 2002 - books.google.com

... 3d) has one large central peak, correctly located at ... H., " Neural Mechanisms for Representing Surface and Contour ... 3 shows edge maps for some of our test images. ...

Related Articles - Web Search

An Associative Neural Network and Its Special

C de San Vicente - Foundations and Tools for Neural Modeling, 1999 - books.google.com

... 99 surface. ... mode the Classification module have to calculate the dot product and the subtraction. ... like shows in Figure 3. Notice that the columns image data is ...

Related Articles - Web Search

[CITATION] **PREDICTING BONE LOSS BASED ON LONGITUDINAL RADIOGRAPHIC DATA**

MS Reddy - Proceedings of the Annual International Conference of the ...

[Web Search](#)

[CITATION] **A MICROFLUIDIC FILTER CHIP FOR HIGHLY SENSITIVE CHEMILUMINESCENCE DETECTION OF E. COLI O157: H7**

B Srinivasan, M Varshney, S Tung, Y Li - Microelectromechanical Systems (MEMS), 2005 - American Society of Mechanical Engineers

Cited by 1 - [Web Search](#)

[CITATION] **Agents Acting on Prostanoid Receptors**

PPA HUMPHREY, RA COLEMAN, DW JENKINS - Burger's Medicinal Chemistry and Drug Discovery, 2003 - Wiley

[Web Search](#)

[CITATION] **CHARACTERIZATION OF IMAGE SYSTEMS**

FO HUCK, CL FALES - Encyclopedia of Imaging Science and Technology, 2002 - Wiley-Interscience

[Web Search](#)

[PDF] **Prevention of Surgical Site Infections - all 25 versions »**

AD Auerbach - Making Health Care Safer: A Critical Analysis of Patient ... , 2001 - vidya.com

... oxygen supplementation involves administration of 80% oxygen and 20% nitrogen by endotracheal tube intraoperatively and by sealed mask and manifold system or ...

Cited by 31 - Related Articles - [View as HTML](#) - [Web Search](#)

[CITATION] THE DEFLECTION NETWORK: A RELIABLE HIGH SPEED PACKET NETWORK FOR
COMPUTER COMMUNICATION

G. Albertengo, R.L. Cigno, G. Panizzardi · Proceedings: Advanced Computer Technology, Reliable Systems, ..., 1991 · IEEE
Computer Society Press
Cited by 3 - Web Search

Key authors: [A. Auerbach](#)

Google ►

Result Page: 1 2 Next

surface rendering 3D subtraction images and synthesizing surface rendered images with input for selection of the best image
Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2008 Google